



# NEXEN TIRE





# NEXEN TIRE

Welcome to the Australian Nexen brochure. You'll find information and specifications on Nexen patterns to suit most vehicles available in Australia including the latest performance vehicles, mid and small size passenger vehicles through to 4x4 and track vehicles.

## NEXEN INFO

INDEX	1
SPONSORSHIP	2
DESIGN & TECHNOLOGY	3 - 4
ORIGINAL EQUIPMENT	5 - 6

## ULTRA HIGH PERFORMANCE

N'FERA SU1	7 - 8
N'FERA AU5	9 - 10

## PASSENGER

N'PRIZ SH9i	11 - 12
N'BLUE PREMIUM	13
N'BLUE HD	14
CP671	15
ROADIAN 581	15
CP643α	16
CP691	16
N'PRIZ AH8	16

## SUV & 4X4

ROADIAN AT PRO RA8	17 - 18
ROADIAN HTX RH5	19 - 20
ROADIAN MTX RM7	21 - 22
N'FERA RU1	23 - 24
N'FERA RU5	23 - 24
ROADIAN HP	25 - 26
N'PRIZ RH7	27
N'PRIZ RH1	28
ROADIAN 581	28

## LIGHT TRUCK

ROADIAN CT8	29 - 30
ROADIAN AT NEO	30
CP521	30

## MOTORSPORT

N'FERA SUR4	31 - 32
-------------	---------



# OFFICIAL PARTNER MANCHESTER CITY FOOTBALL CLUB



NEXEN TIRE became an Official Partner of Manchester City Football Club (FC), which has fans across all continents and is one of the English Premier League's strongest teams, as part of the company's sports marketing plan. Football fans from Europe and around the world will be able to see NEXEN TIRE's logo on digital boards whenever Manchester City play at the Etihad Stadium. Moreover, the company plans to execute various marketing activities by utilizing players' portrait rights and sponsorship management. NEXEN TIRE aims to accelerate its European market expansion and cement its position by strengthening our brand power through continuous sports marketing initiatives.

# NEXEN TIRE, FIRST IN THE INDUSTRY TO SWEEP THE WORLD'S TOP 4 DESIGN AWARDS



## GERMAN iF DESIGN AWARD

The iF Product Design Award was introduced in 1954 and is conferred annually by the iF International Forum Design. Each year, iF attracts more than 2,000 product entries from around 37 nations, which are judged by renowned experts, with the best of them receiving an iF seal of outstanding design quality.



## GERMAN RED DOT DESIGN AWARD

The Red Dot Design Award is an international product design prize awarded by the Design Zentrum Nordrhein Westfalen in Essen, Germany. There are prize categories for product design, design agencies, and design concepts. Since 1955, the Red Dot Design Award had more than 11,000 submissions from 61 countries.



## JAPANESE GOOD DESIGN (G-MARK) AWARD

The Good Design Award is run by the Japan Industrial Design Promotion Organization (JIDPO). This event, which was launched by JIDPO in 1957, rates products against stringent evaluation criteria, with those that are thereby recommended by Good Design Award gaining a significant boost to their global reputation for the clear demonstration of their high quality and innovative design.







## ULTRA RUNFLAT TECHNOLOGY

### CONSTRUCTION


- +Profiled Insert design to disperse internal stress
- +Intensified Insert and Bead filler design



DISPERSES  
INTERNAL  
STRESS

### PROFILE

- +RFT Mold profile design for dispersing the internal stress of the bending part
- +Intensified vertical load Bead ring width design



INTENSIFIED  
VERTICAL  
LOAD DESIGN

### COMPOUND

- +High stiffness, Low heating, Heat resistant compound
- +Declining prevention of physical properties
- +Optimised vulcanising system



NEW  
COMPOUND



## NEXEN SMART SEAL TECHNOLOGY



A viscous and sticky layer in the inner liner area prevents air leakage from foreign object penetration.

In cases where the object is dislodged, the material on the layer covers up the damaged part as well.


### MIX SIS (MIX THERMOPLASTIC ELASTOMER STYRENE ISOPRENE STYRENE BLOCK POLYMER)

#### UNIQUE SPECIFICATIONS

+At the high heat of 200°C (±5°C) the material is melted to liquid and combined with the radial tyre to form a seamless lining that can resist sharp object punctures. It seals the inner surface of the tyre to reduce the leakage of air pressure which could cause tyre blowout.

+This special semi-solid material can endure temperatures from -20° to 110°C and gives the tyre stability and a firm structure.

+Elastometric memory when punctured with sharp objects. The tyre self-seals after the sharp material is removed. It also helps in the prevention of hard to locate leakages.





# NEXEN TIRE

## ORIGINAL EQUIPMENT MANUFACTURER



Nexen manufacture a wide range of Original Equipment tyres for many of the world's leading manufacturers. The selection of Nexen tyre products by car manufacturers is testimony to the technological prowess and extreme quality control Nexen provide.

### N blue Premium



### N blue HD



### CP671



### ROADIAN 581



### CP643Q



### CP691



### N Priz AH8



### ROADIAN AT PRO RAS



### ROADIAN 581



### N Priz RH7



### ROADIAN CT8



### CP521






# N FERA SU1

**PREMIUM SPORT**  
**ULTRA HIGH PERFORMANCE**



## ULTRA HIGH PERFORMANCE SUMMER



TREADWEAR 300	TRACTION AA	TEMPERATURE A

INCH	SIZE	LI	SI	XL										
15	195/45R15	78	W	-		225/50R17	98	V	-		255/40R18	99	Y	●
						225/55R17	101	W	●		255/45R18	103	Y	●
16	185/50R16	81	V	●		225/55R17	97	V	-		265/35R18	97	Y	●
	185/55R16	83	V	-		235/40R17	94	W	●		275/35R18	99	W	●
	195/45R16	84	W	-		235/45R17	97	W	●	19	225/35R19	88	Y	●
	195/55R16	91	V	●		235/55R17	103	W	●		235/35R19	91	Y	●
	205/45R16	87	W	●		245/40R17	95	W	●		245/35R19	93	Y	●
	205/50R16	87	W	●		245/45R17	99	Y	-		245/40R19	98	Y	●
	205/55R16	94	W	-		255/40R17	94	W	●		245/45R19	102	Y	●
	215/40R16	86	W	●	18	215/40R18	89	Y	●		255/35R19	96	W	●
	215/55R16	97	W	●		215/45R18	93	W	●		255/45R19	104	Y	●
	225/50R16	96	W	●		225/35R18	87	Y	●		265/30R19	93	Y	●
	225/55R16	95	W	●		225/40R18	92	Y	●		275/30R19	96	Y	●
						225/45R18	95	V	-		275/35R19	100	Y	●
	205/40R17	84	W	●		235/40R18	95	Y	●		275/40R19	105	Y	●
	205/45R17	88	V	-		235/45R18	98	Y	●	20	225/35R20	90	Y	●
	205/45R17	88	W	●		235/50R18	101	W	●		245/30R20	90	Y	●
	205/50R17	93	W	-		235/55R18	104	W	●		245/35R20	95	Y	●
	215/40R17	87	W	●		245/35R18	92	Y	●		255/35R20	97	Y	●
	215/45R17	91	W	●		245/40R18	97	Y	●		275/30R20	97	Y	●
	215/50R17	95	W	●		245/45R18	100	Y	●		285/30R20	99	Y	●
	215/55R17	94	V	-		245/50R18	104	W	●					
17	225/45R17	94	Y	●		255/35R18	94	Y	●					
	225/50R17	94	V	-										

ADDITIONAL INFORMATION

TECHNICAL FEATURES



**4 WIDE LONGITUDINAL GROOVES**  
IMPROVED DRAINAGE PERFORMANCE



**HYDROPLANING LATERAL GROOVES**  
EXCELLENT WET PERFORMANCE



**3 CENTRE BLOCKS**  
STRAIGHT STABILITY




**OPTIMIZED SHOULDER BLOCK**  
MAX GRIP DURING CORNERING

# N FERA AU5

**PREMIUM COMFORT  
ULTRA HIGH PERFORMANCE**



## ULTRA HIGH PERFORMANCE SUMMER



TREADWEAR 560	TRACTION A	TEMPERATURE A		



INCH	SIZE	LI	SI	XL
16	205/45R16	83	W	-
	205/50R16	87	W	-
	205/55R16	94	W	●
	205/60R16	96	V	●
	205/65R16	95	V	-
	215/55R16	97	W	●
	215/60R16	95	V	-
	225/55R16	99	W	●
	225/60R16	98	V	-
17	205/40R17	80	W	-
	205/45R17	88	W	●
	205/50R17	93	W	●
	215/45R17	91	W	●
	215/50R17	91	W	-
	215/55R17	94	W	-
	225/45R17	94	W	●
	225/50R17	98	W	●
	225/55R17	101	W	●
	225/60R17	103	V	●
	235/45R17	97	W	●
	235/50R17	96	W	-
	235/55R17	103	W	●
	245/40R17	95	W	●
	245/45R17	99	W	●

18	225/40R18	92	W	●
	225/45R18	95	W	●
	235/40R18	95	W	●
	235/45R18	98	W	●
	235/50R18	101	W	●
	245/40R18	97	W	●
	245/45R18	100	W	●
	245/50R18	104	W	●
	255/35R18	94	W	●
	255/45R18	103	W	●
	265/35R18	97	W	●
	275/35R18	99	W	●
19	275/40R18	103	W	●
	235/35R19	91	W	●
	235/55R19	105	W	●
	245/35R19	93	W	●
	245/40R19	98	W	●
	245/45R19	102	W	●
	255/40R19	100	W	●
	265/30R19	93	W	●
	275/30R19	96	W	●
	275/35R19	100	W	●
	275/40R19	105	Y	●


20	225/35R20	90	W	●
	235/30R20	88	W	●
	245/35R20	95	W	●
	245/40R20	99	W	●
	245/45R20	103	W	●
	255/35R20	97	W	●
	275/30R20	97	W	●
	285/30R20	99	W	●
22	245/30R22	92	W	●
	265/30R22	97	W	●
	295/25R22	97	W	●

# NPriz SH9i

**HIGH PERFORMANCE  
MAXIMUM SAFETY**



## PASSENGER CAR RADIAL SUMMER



TREADWEAR  
420

TRACTION  
A

TEMPERATURE  
A

INCH	SIZE	LI	SI	XL
13	145/70R13	71	T	-
	155/65R13	73	T	-
	155/70R13	75	T	-
	155/80R13	79	T	-
	165/65R13	77	H	-
	165/70R13	79	T	-
	175/70R13	82	H	-
	185/70R13	86	T	-
14	165/60R14	75	H	-
	165/65R14	79	T	-
	165/70R14	85	T	●
	165/80R14	85	T	-
	175/65R14	82	H	-
	175/70R14	84	T	-
	185/60R14	82	H	-
	185/65R14	86	H	-
	185/70R14	88	T	-
	195/60R14	86	H	-
	195/70R14	91	T	-
	205/70R14	98	T	●
15	175/65R15	84	H	-
	185/55R15	82	V	-
	185/60R15	84	H	-

	185/65R15	88	H	-
	195/50R15	82	V	-
	195/55R15	85	V	-
	195/60R15	88	V	-
	195/65R15	91	V	-
	205/60R15	91	H	-
	205/65R15	94	V	-
	205/70R15	96	T	-
	215/65R15	96	H	-
	215/70R15	98	T	-
16	195/50R16	84	V	-
	195/55R16	87	V	-
	195/60R16	89	V	-
	205/45R16	83	V	-
	205/50R16	87	V	-
	205/55R16	91	V	-
	205/60R16	92	V	-
	215/55R16	93	V	-
	215/60R16	95	H	-
	215/65R16	98	H	-
	225/60R16	98	H	-
	225/70R16	103	T	-
	235/60R16	100	V	-



# N blue Premium



**PREMIUM**  
**HIGH PERFORMANCE**

OE



ORIGINAL EQUIPMENT



TREADWEAR 360	TRACTION A	TEMPERATURE A

INCH	SIZE	LI	SI	XL	OE
15	165/65R15	81	T	-	TWINGO/FORFOUR
	195/65R15	91	T	-	CADDY
	185/60R15	84	T	-	TWINGO/FORFOUR

# N blue HD



## PREMIUM HIGH PERFORMANCE

OE



ORIGINAL EQUIPMENT



TREADWEAR  
360

TRACTION  
A

TEMPERATURE  
A

INCH	SIZE	LI	SI	XL	OE
16	205/55R16	91	V	-	OCTAVIA
	205/55R16	91	V	-	RONDO (ALL NEW CARENS)
	205/55R16	91	H	-	FORTE (K3)
	205/60R16	92	H	-	PS (SOUL FMC)
17	215/55R17	94	V	-	PS (SOUL FMC)
18	225/40R18	88	V	-	FORTE (K3)

# CP671

PREMIUM HIGH PERFORMANCE



OE

## PASSENGER CAR RADIAL SUMMER

ORIGINAL EQUIPMENT



TREADWEAR  
400

TRACTION  
A

TEMPERATURE  
A

INCH	SIZE	LI	SI	XL	OE
16	205/55R16	91	H	-	500L
	205/55R16	89	H	-	FORTE (K3)
	205/55R16	89	H	-	ELANTRA TOURING (i30)
	205/55R16	91	H	-	RONDO (ALL NEW CARENS)
	205/55R16	91	H	-	RONDO (ALL NEW CARENS)
17	215/45R17	87	H	-	FORTE (K3)
18	225/40R18	88	V	-	FORTE (K3)

# ROADIAN 581

PREMIUM HIGH PERFORMANCE



OE

## PASSENGER CAR RADIAL SUMMER

ORIGINAL EQUIPMENT



TREADWEAR  
400

TRACTION  
A

TEMPERATURE  
A

INCH	SIZE	LI	SI	XL	OE
15	195/65R15	91	H	-	ELANTRA TOURING (i30)
16	205/55R16	91	H	-	ELANTRA TOURING (i30)
17	225/45R17	91	V	-	ELANTRA TOURING (i30)



# CP643α

PREMIUM HIGH PERFORMANCE



OE

## PASSENGER CAR RADIAL SUMMER

ORIGINAL EQUIPMENT



					TREADWEAR 400	TRACTION A	TEMPERATURE A
--	--	--	--	--	------------------	---------------	------------------

INCH	SIZE	LI	SI	XL	OE
17	215/45R17	87	V	-	VELOSTER
18	225/45R18	91	V	-	-

# CP691

PREMIUM HIGH PERFORMANCE



OE

## PASSENGER CAR RADIAL SUMMER

ORIGINAL EQUIPMENT



					TREADWEAR 300	TRACTION AA	TEMPERATURE A
--	--	--	--	--	------------------	----------------	------------------

INCH	SIZE	LI	SI	XL	OE
18	215/45R18	89	W	-	LANCER
	225/45R18	95	V	XL	i40

# NPriz AH8

PREMIUM HIGH PERFORMANCE



OE

## PASSENGER CAR RADIAL SUMMER

ORIGINAL EQUIPMENT



					TREADWEAR 440	TRACTION A	TEMPERATURE A
--	--	--	--	--	------------------	---------------	------------------

INCH	SIZE	LI	SI	XL	OE
15	195/65R15	91	T	-	FORTE (K3)

# ROADIAN AT PRO RA8

ALL TERRAIN  
MUSCLE



FOUR WHEEL DRIVE AND COMMERCIAL  
ALL TERRAIN



OE



TREADWEAR  
560

TRACTION  
A

TEMPERATURE  
B

AVAILABLE SIZES

# ROADIAN AT PRO RAS



INCH	SIZE	LI	SI	LT	OE								
14	205/70R14	102/100	T	●			245/65R17	111	S	-			
							245/70R17	119/116	S	●			
15	205/70R15	104/102	T	●			245/70R17	110	S	-			
	215/70R15	98	T	-			245/75R17	121/118	S	●			
	215/75R15	100/97	S	●			255/65R17	110	S	-			
	225/75R15	102	S	-			265/65R17	112	T	-			
	235/75R15	104/101	R	●			265/70R17	121/118	S	●			
	235/75R15	109	S	-			265/70R17	115	S	-			
	265/70R15	112	S	-			275/65R17	115	T	-			
	30x9.5R15	104	S	●			285/65R17	116	S	-			
	31x10.5R15	109	S	●			285/70R17	121/118	S	●			
16	215/85R16	115/112	R	●			18	255/70R18	113	T	-		
	225/70R16	103	T	-				265/60R18	110	T	-		
	225/75R16	115/112	R	●				265/65R18	114	S	-		
	235/70R16	106	S	-				265/70R18	124/121	S	●		
	235/85R16	120/116	R	●				265/70R18	116	S	-		
	245/70R16	111	S	-				275/65R18	123/120	S	●	DODGE RAM 3500	
	245/75R16	120/116	R	●				275/65R18	116	T	-		
	245/75R16	111	S	-				275/70R18	125/122	R	●		
	255/65R16	109	T	-				285/60R18	116	S	-		
	255/70R16	111	S	-				285/65R18	125/122	S	●		
	265/70R16	112	S	-			20	265/50R20	111	T	-		
	265/75R16	123/120	R	●				265/60R20	121/118	S	●		
	265/75R16	116	S	-				275/55R20	117	T	-		
	265/75R16	116	S	-				275/60R20	115	S	-		
	275/70R16	114	S	-									
	17	235/65R17	108	S	-				285/50R20	116	S	-	
235/75R17		109	S	-				285/55R20	122/119	S	●		
235/80R17		120/117	R	●	DODGE RAM 3500			305/55R20	121/118	S	●		




# ROADIAN HTX<sub>RH5</sub>

**PREMIUM  
HIGHWAY TERRAIN SUV**



## SPORT UTILITY VEHICLE SUMMER



TREADWEAR 640	TRACTION A	TEMPERATURE A		

AVAILABLE SIZES

**ROADIAN HTX<sub>RH5</sub>**

INCH	SIZE	LI	SI	LT
<b>15</b>	225/70R15	100	S	-
	235/70R15	103	S	-
	235/75R15	109	S	-
	255/70R15	113/110	S	●
	255/70R15	108	H	-
	265/70R15	112	S	-
	31x10.5R15	109	S	●
<b>16</b>	215/85R16	115/112	Q	●
	225/70R16	103	T	-
	225/75R16	115/112	Q	●
	225/75R16	108	S	-
	235/60R16	100	H	-
	235/65R16	103	T	-
	235/70R16	106	T	-
	235/75R16	108	T	-
	235/85R16	120/116	Q	●
	245/70R16	111	T	-
	245/75R16	120/116	Q	●
	245/75R16	111	S	-
	255/65R16	109	H	-
	255/70R16	111	S	-
	275/70R16	114	S	-
	265/70R16	112	S	-
	265/75R16	123/120	Q	●
	265/75R16	116	T	-
<b>17</b>	225/60R17	99	V	-
	225/65R17	102	H	-
	235/60R17	102	V	-
	235/65R17	108	H	-
	235/70R17	111	T	-
	235/80R17	120/117	R	●
	245/65R17	111	H	-
	245/70R17	110	T	-

**NEXEN TIRE**

	245/75R17	121/118	S	●
	255/60R17	106	V	-
	255/65R17	110	S	-
	255/70R17	112	T	-
	265/65R17	112	H	-
	265/70R17	121/118	R	●
	265/70R17	115	T	-
	275/65R17	115	T	-
	285/65R17	116	S	-
<b>18</b>	225/55R18	98	V	-
	225/60R18	100	H	-
	235/55R18	104	V	-
	235/60R18	103	V	-
	235/65R18	110	H	-
	245/60R18	105	H	-
	255/55R18	109	V	-
	255/60R18	112	V	-
	255/65R18	111	T	-
	255/70R18	113	T	-
	265/60R18	110	H	-
	265/65R18	114	S	-
	265/70R18	116	S	-
	275/60R18	113	H	-
	275/65R18	123/120	S	●
	275/65R18	116	T	-
	285/60R18	116	V	-
<b>19</b>	235/55R19	101	V	-
	245/55R19	103	T	-
	255/60R19	109	H	-
<b>20</b>	245/60R20	107	H	-
	265/50R20	107	V	-
	275/55R20	113	T	-
	275/60R20	115	S	-

# ROADIAN MTX RM7

**EXTREME  
MUD TERRAIN**

NEW PRODUCT  
2018

EXTREME OFF ROAD  
**EXTREME MUD TERRAIN**



TREADWEAR  
TBA

TRACTION  
TBA

TEMPERATURE  
TBA



AVAILABLE SIZES

**ROADIAN MTX RM7**



INCH	SIZE	AVAILABILITY
<b>15</b>	33/12.5R15	1Q 2018
	35/12.5R15	1Q 2018
<b>16</b>	265/75R16	4Q 2017
	285/75R16	1Q 2018
<b>17</b>	235/80R17	4Q 2017
	245/75R17	4Q 2017
	255/75R17	4Q 2017
	265/70R17	4Q 2017
	285/70R17	4Q 2017
	295/70R17	1Q 2018
	305/65R17	1Q 2018
	315/70R17	1Q 2018
	33/12.5R17	1Q 2018
	35/12.5R17	1Q 2018
	37/12.5R17	1Q 2018
<b>18</b>	275/65R18	4Q 2017
	275/70R18	4Q 2017
	285/65R18	4Q 2017
	295/70R18	1Q 2018
	305/70R18	1Q 2018
	33/12.5R18	1Q 2018
	35/12.5R18	1Q 2018


<b>20</b>	275/65R20	4Q 2017
	285/55R20	4Q 2017
	295/55R20	4Q 2017
	295/60R20	1Q 2018
	295/65R20	1Q 2018
	305/55R20	1Q 2018
	33/12.5R20	1Q 2018
	35/12.5R20	1Q 2018
	37/12.5R20	1Q 2018
<b>22</b>	37/13.5R20	1Q 2018
	33/12.5R22	1Q 2018
	35/12.5R22	1Q 2018
	37/13.5R22	1Q 2018

# N FERA RU1

PERFORMANCE  
SUV TYRE



## SPORT UTILITY VEHICLE SUMMER



			
TREADWEAR 320	TRACTION AA	TEMPERATURE A	

INCH	SIZE	LI	SI	XL	OE
16	255/65R16	109	V	-	
17	205/50R17	93	V	●	
	205/55R17	91	V	-	
	215/60R17	96	H	-	
	225/50R17	94	W	-	YETI
	225/50R17	98	W	●	
	225/55R17	97	W	-	
	225/60R17	99	H	-	
	225/65R17	102	H	-	
	235/55R17	99	V	-	
	235/55R17	103	V	●	
	235/65R17	104	H	-	ALL NEW SORENTO
	235/65R17	108	V	●	
	255/60R17	106	V	-	
	255/65R17	114	H	●	
	275/55R17	109	V	-	
18	215/55R18	99	V	●	
	225/55R18	98	V	-	
	225/60R18	100	W	-	
	225/65R18	103	H	-	
	225/65R18	103	V	-	
	235/50R18	101	V	●	
	235/50R18	101	Y	●	
	235/55R18	100	V	-	
	235/60R18	103	H	-	ALL NEW SORENTO
	235/60R18	107	V	●	
	255/55R18	109	W	●	

ADDITIONAL INFORMATION  
N'FERA RU5 UTQG RATING TREADWEAR 500 TRACTION A TEMPERATURE A

	255/55R18	109	Y	-	CAYENNE
	255/55R18	109	Y	●	
	265/60R18	110	H	-	
	285/50R18	109	W	-	
19	225/55R19	99	H	-	
	235/45R19	95	W	-	
	235/50R19	99	V	-	
	235/55R19	105	V	●	
	255/45R19	100	V	-	
	255/50R19	107	W	●	
	255/55R19	111	V	●	
	265/50R19	110	Y	●	
	275/45R19	108	Y	●	
	285/45R19	111	W	●	
20	255/35R20	97	Y	●	
	255/45R20	105	W	●	
	255/50R20	109	V	●	
	265/45R20	108	V	●	
	275/35R20	102	Y	●	
	275/40R20	106	Y	●	
	275/45R20	110	Y	●	

INCH	SIZE	LI	SI	XL	OE
17	235/60R17	103	V	●	


# ROADIAN HP

**HIGH PERFORMANCE  
HIGHWAY SUV**



GOOD DESIGN

**SPORT UTILITY VEHICLE  
SUMMER**



TREADWEAR  
460

TRACTION  
A

TEMPERATURE  
A



AVAILABLE SIZES  
**ROADIAN HP**



INCH	SIZE	LI	SI	XL	OE
20	265/50R20	111	V	●	
	275/55R20	117	V	●	
	285/50R20	116	V	●	
	295/40R20	106	V	-	
	295/45R20	114	V	●	
22	255/30R22	95	V	●	
	265/35R22	102	V	●	
	285/35R22	106	V	●	
	285/45R22	114	V	●	
	295/30R22	103	V	●	
	305/40R22	114	V	●	
	305/45R22	118	V	●	
24	295/35R24	110	V	●	
	305/35R24	112	V	●	

ADDITIONAL INFORMATION

TECHNICAL FEATURES



**V SHAPED PATTERN**  
ENHANCED GRIP ON ANY ROADS



**WIDE AND DEEP  
DIRECTIONAL GROOVES**  
EXCELLENT DRAINAGE  
AND BRAKING



**5 RANDOM PITCH VARIATION**  
REDUCED PATTERN NOISE



**LARGE SHOULDER BLOCKS**  
MAXIMIZE CORNERING GRIP

BENEFITS



**EXCELLENT DRY PERFORMANCE**



**EXCELLENT HANDLING PERFORMANCE**



# NPriz RH7

## PERFORMANCE OE SUV TYRE

### SPORT UTILITY VEHICLE ORIGINAL EQUIPMENT



SUV

OE

#### ORIGINAL EQUIPMENT



TREADWEAR  
440

TRACTION  
A

TEMPERATURE  
A

INCH	SIZE	LI	SI	OE
16	215/70R16	100	H	TUCSON
	225/70R16	103	S	ESCUDO
	225/60R17	99	H	TUCSON
17	235/65R17	104	H	ALL NEW SORENTO
	235/65R17	104	H	ALL NEW CARNIVAL

18	225/55R18	97	H	OUTLANDER SPORT
	225/55R18	98	H	ALL NEW TUCSON
	225/60R18	100	H	KOLEOS
	235/60R18	103	H	ALL NEW CARNIVAL
	235/60R18	103	H	ALL NEW SORENTO

# NPriz RH1

PERFORMANCE OE SUV



OE

## SPORT UTILITY VEHICLE ORIGINAL EQUIPMENT

ORIGINAL EQUIPMENT



TREADWEAR  
340

TRACTION  
A

TEMPERATURE  
A

INCH	SIZE	LI	SI	XL	OE
16	215/65R16	98	H	-	OUTLANDER SPORT
17	215/60R17	96	H	-	OUTLANDER SPORT

# ROADIAN 581

PERFORMANCE OE SUV



OE

## SPORT UTILITY VEHICLE ORIGINAL EQUIPMENT

ORIGINAL EQUIPMENT



TREADWEAR  
420

TRACTION  
A

TEMPERATURE  
A


INCH	SIZE	LI	SI	XL	OE
18	235/60R18	103	H	-	SANTA FE
19	235/55R19	101	H	-	ALL NEW CARNIVAL
	235/55R19	101	H	-	SANTA FE

# ROADIAN CT8

**HIGH PERFORMANCE  
COMMERCIAL**



## COMMERCIAL LTR



## TECHNICAL FEATURES



**RIB TYPE SHOULDER BLOCKS**  
GIVEN THE HEAVY LOAD OF LTR



**SQUARE SHAPED DIMPLE**  
DELIVERS BETTER DURABILITY



**BITING EDGE**  
IMPROVED TRACTION



**STRAIGHT GROOVE**  
IMPROVED DRAINAGE PERFORMANCE



AVAILABLE SIZES

**ROADIAN CT8**

INCH	SIZE	LI	SI	XL	OE
<b>13</b>	155R13C	85/83	R	-	
	165R13C	91/89	R	-	
<b>14</b>	165/70R14C	89/87	R	-	
	175/65R14C	90/88	T	-	
	175/70R14C	95/93	T	-	
	185/75R14C	102/100	Q	-	
	185R14C	102/100	T	-	
	195R14C	106/104	R	-	
	205/70R14C	102/100	T	-	
	205R14C	109/107	T	-	
	215/75R14C	104/101	T	-	
	215/75R14C	112/110	T	-	
<b>15</b>	185/60R15C	94/92	T	●	
	185R15C	103/102	R	-	
	195/70R15C	104/102	S	-	
	195/70R15C	104/102	T	-	
	195/70R15C	99/96	T	-	
	195/80R15C	107/105	L	-	
	195R15C	106/104	R	-	
	205/65R15C	102/100	S	-	
	205/70R15C	106/104	T	-	
	215/65R15C	104/102	T	-	
	215/70R15C	109/107	S	-	DUCATO
	215/70R15C	104/101	T	-	
	215/70R15C	109/107	T	-	
	225/70R15C	106/103	T	-	
	225/70R15C	112/110	T	-	
<b>16</b>	175/75R16C	101/99	R	-	
	185/75R16C	104/102	T	-	
	195/60R16C	99/97	H	-	
	195/65R16C	104/102	R	-	
	195/75R16C	107/105	T	-	
	195/75R16C	110/108	T	-	DAILY
	195/75R16C	107/105	R	●	
	205/65R16C	107/105	T	-	



**NEXEN TIRE**

	205/75R16C	113/111	R	-	
	205R16C	110/108	T	-	
	215/60R16C	103/101	T	-	
	215/60R16C	108/106	T	-	
	215/65R16C	109/107	T	-	
	215/75R16C	116/114	R	-	
	215/85R16C	115/112	R	●	
	225/60R16C	105/103	T	-	
	225/65R16C	112/110	S	-	
	225/75R16C	121/120	S	-	
	225/75R16C	115/112	R	●	VF (RAM PROMASTER)
	225/75R16C	121/120	R	●	VF-C (RAM PROMASTER)
	235/65R16C	115/113	R	-	
	235/65R16C	121/119	R	●	
	235/85R16C	120/116	R	●	
	245/75R16C	120/116	S	●	
	265/75R16C	123/120	R	●	
<b>17</b>	235/80R17C	120/117	R	●	
	245/70R17C	119/116	R	●	
	245/75R17C	121/118	S	●	
	265/70R17C	121/118	R	●	
<b>18</b>	275/65R18C	123/120	S	●	
	275/70R18C	125/122	R	●	

AVAILABLE SIZE

**RADIAL AT NEO**

INCH	SIZE	LI	SI	XL	OE
<b>16</b>	205R16C	110/108	S	-	

AVAILABLE SIZE

**CP521**


INCH	SIZE	LI	SI	XL	OE
<b>16</b>	215/70R16C	108/106	T	-	iMAX (G.STAREX)
<b>17</b>	235/60R17C	106	H	●	KORANDOTUR

# N FERA SUR4

**SEMI RACING  
EXTREME PERFORMANCE**



**SEMI RACING EXTREME PERFORMANCE  
MOTORSPORT**



TREADWEAR 200	TRACTION A	TEMPERATURE A

INCH	SIZE	LI	SI	XL
15	225/45R15	87	W	-
16	205/45R16	83	W	-
	205/55R16	91	W	-
	225/50R16	92	W	-
17	215/45R17	87	Y	-
	225/45R17	91	Y	-
	235/45R17	94	Y	-
	245/40R17	91	Y	-
	255/40R17	94	Y	-
18	225/40R18	88	Y	-
	225/45R18	91	Y	-
	235/40R18	91	Y	-
	245/40R18	97	Y	●
	255/35R18	90	Y	-
	265/35R18	97	Y	●
	275/35R18	95	Y	-
	275/40R18	99	Y	-
19	225/40R19	89	Y	-
	235/35R19	87	Y	-
	245/40R19	94	Y	-

ADDITIONAL INFORMATION

TECHNICAL FEATURES



WIDE CENTRE RIB

RELIABLE STEERING RESPONSE



WING SHAPED GROOVES

SUPERIOR GRIP DURING CORNERING



RIBS IN THE CENTRE

ACCURATE HANDLING ON DRY ROAD



CIRCUIT ADAPTATION

VERIFIED GROOVE

## IMPORTANT SAFETY WARNING AND MAINTENANCE INFORMATION

Any tyre, no matter how well constructed, may fail in use as a result of punctures, impact damage, improper inflation or other conditions resulting from use. Tyre failures may create risk of property damage or personal injury. To reduce the risk of tyre failure, we strongly recommend the following:

### WARNING!

#### Serious Injury May Result From:

- Tyre failure due to underinflation/vehicle overloading - follow owner's manual specifications or tyre information placard in your vehicle.
- Explosion of tyre/rim assembly due to improper mounting - only specially trained persons should mount tyres.

#### Check Inflation Pressure On All Tires

Tyre pressures, including the spare, should be checked at least once per month before driving, when the tyres are cold (after the vehicle has been stopped for three hours or driven less than one mile). Do not reduce air pressure when tyres are hot. Use a tyre gauge to check pressure and maintain it at the level recommended by the vehicle manufacturer. If a tyre loses more than one pound of air pressure per month, have it checked for leakage by your dealer. Proper inflation pressure is very important to tyre life, comfortableness, and vehicle handling, therefore you should always maintain the correct inflation pressure in your tyres according to your vehicle manufacturer's recommendation. In addition, your vehicle has a Tyre Information Placard, which indicates the proper tyre size and inflation pressure for your particular model car.

#### Wheel Alignment and Balancing

These are very important considerations for comfortableness and maximum mileage from your tyres. Check how your tyres are wearing at least once a month. If your tyres are wearing unevenly, such as the inside shoulder of the tyre wearing faster than the rest of the tread, your vehicle may be out of alignment. This condition not only shortens the life of your tyres but also adversely affects the handling characteristics of your vehicle, which could be dangerous. If irregular wear is indicated, have your alignment checked immediately. Tyres which have been run underinflated will show more wear on the shoulders than in the center of the tread. Such underinflation may cause damage to the tyre structure. Have the tyres inspected by your dealer.

#### Do Not Overload

The maximum load capacity and air pressure of your tyres is marked on the sidewall. Do not exceed these limits. Following the loading instructions of the manufacturer of your vehicle should insure that your tyres are not overloaded. Tyres which are loaded beyond their maximum allowable loads for the particular application will build up excessive heat that may result in sudden tyre destruction.


#### Radial Tyre Rotation

The purpose for rotating tyres is to achieve a more uniform wear for all tyres on a vehicle. Before rotating tyres, determine the cause of any unusual wear and correct any misalignment, imbalance, or other mechanical problems.



**Your warranty requires the tyre to be rotated at least every 10,000km.**

These rotation patterns are acceptable. Please refer to your vehicle owner's manual regarding tire rotation advice.







**NFERA RU1**

**ORIGINAL EQUIPMENT**  
**PORSCHE CAYENNE**

# NEXEN TIRE

DISTRIBUTED BY

## YHI AUSTRALIA

**SYDNEY**  
8 PENELOPE CRESCENT  
ARNDELL PARK NSW 2148  
PHONE: (02) 8832 9900

**BRISBANE**  
141 BOUNDARY ROAD  
OXLEY QLD 4075  
PHONE: (07) 3379 7188

**ADELAIDE**  
8 SCHENKER DRIVE  
ROYAL PARK SA 5014  
PHONE: (08) 8343 9100

**PERTH**  
37 HECTOR STREET  
OSBORNE PARK WA 6017  
PHONE: (08) 9204 3400

**MELBOURNE**  
46-50 EDISON ROAD  
DANDENONG STH VIC 3175  
PHONE: (03) 9700 9300

**TOWNSVILLE**  
797 INGHAM ROAD  
BOHLE QLD 4818  
PHONE: (07) 3379 7188

**LAUNCESTON**  
46 GARFIELD STREET  
SOUTH LAUNCESTON TAS 7250  
PHONE: (03) 6344 7794

**EMAIL ENQUIRIES**  
[INFO@WHEELDEMON.COM.AU](mailto:INFO@WHEELDEMON.COM.AU)

**WHEELDEMON**  .COM.AU



**YHI**

COPYRIGHT ©2017 YHI (AUSTRALIA) PTY LTD. ALL RIGHTS RESERVED. REPRODUCTION WITHOUT PERMISSION PROHIBITED. SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE. TYRES TO BE FITTED BY TRAINED TYRE FITTER ONLY. IMAGES ARE FOR ILLUSTRATIVE PURPOSES ONLY.  
YHI (AUSTRALIA) PTY LTD ABN: 92 058 091 375